#### New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Belleville Residents

1.	Current HIV/AIDS Category	Adult/Adol			Pediat Cases	_		С	Tota ases	
	AIDS-Any OI AIDS-CD4 Only HIV Only	24 # #	24		 0 # #	#	:		24 31 49	30 47
	Total		100		#	#		_	104	
2.	Current Age * Cases %	3. Race/E	th.			5 %	Cases	%	Tota Cases	용
	<pre>&lt;5     0     0 5-12     # # 13-19     # # 20-29     # # 30-39     28     27</pre>	White, Black, Hispan Other/	Not Hisp	anic	48 # #	47 # # O	O # #	O # # O	48	46 23 31 0
	40-49 48 46 50+ 21 20 Unk. 0 0	Total				100				
4.	Total 104 100  Patient Group		Ad Males			Female	s %		odes ** Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		30 13 #	 46 20 # # 12		0 9 0 # 11	0 0 25 0 0 # # 31		 3 2	30 30 22 22 # # # # L9 19
	Total		65	100		36	100			100
			Males	8		Female	s %		Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***			#		#	# 0			# # O O

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification based on current age at the end of June 2004.
- \*\* 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Belleville Residents

	Adult/Adolescent*	Pediatric*	Total
1. Disease Category	Cases (%) Deaths (%)	Cases (%) Deaths (%)	Cases (%) Deaths (%)
PCP Other OI w/o PCP KS Alone No Disease Listed	52 ( 30) 46 ( 92) 68 ( 39) 53 ( 78) # ( #) # ( #) # ( #) # ( #)	0 ( .) 0 ( .) 0 ( .) 0 ( .) 0 ( .) 0 ( .) 0 ( .) 0 ( .)	52 ( 30) 46 ( 92) 68 ( 39) 53 ( 78) # ( #) # ( #) # ( #) # ( #)
Total	174 (100) 119 ( 72)	0 ( .) 0 ( .)	174 (100) 119 ( 72)
2. Age * Cases	% 3. Race/Eth.	Adult/Adl* Pediatric* Cases % Cases %	Total Cases %
Under 5 0	0 White, Not Hispanic	111 64 0 .	111 64

				110010/1	101	ICAIACI	± C	IOCUI	
2. Age *	Cases	용	3. Race/Eth.	Cases	용	Cases	용	Cases	용
Under 5	0	0	White, Not Hispanic	111	64	0		111	64
5-12	0	0	Black, Not Hispanic	30	17	0		30	17
13-19	0	0	Hispanic	31	18	0		31	18
20-29	28	16	Other/Unknown	#	#	0		#	#
30-39	67	39							
40-49	58	33	Total	174	100	0	•	174	100
Over 49	21	12							
Unknown	0	0							

4. Patient G	roup
--------------	------

Total 174 100

Patient Group	Adult/Adolescent Transmission Modes **									
	Males	용	Females	용	Total	용				
Men sex with men (MSM)	53	42	0	0	53	30				
Injection drug user (IDU)	41	33	17	35	58	33				
MSM/IDU	5	4	0	0	5	3				
Heterosexual contact	13	10	20	42	33	19				
Risk not reported/other***	14	11	11	23	25	14				
Total	126	100	48	100	174	100				

	Pediatric Transmission Modes							
	Males	용	Females %	Total	용			
Parent at risk/has AIDS/HIV	0		0 .	0				
Risk not reported/other***	0		0 .	0				
Total	0		0 .	0				

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

<sup>\*\* 0</sup> patients were diagnosed with  $\widetilde{\text{AIDS}}$  as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent

reports in tables 1,2, and 3; and as pediatric reports in table 4. \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Belleville Residents

## 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1985	5	5	100%
1986	6	6	100%
1987	7	7	100%
1988	11	11	100%
1989	10	9	90%
1990	5	#	#
1991	15	13	87%
1992	13	11	85%
1993	17	12	71%
1994	12	7	58%
1995	18	12	67%
1996	14	6	43%
1997	10	5	50%
1998	7	#	#
1999	#	#	#
2000	#	#	#
2001	6	#	#
2002	6	#	#
2003	#	#	#
Total	174	119	68%

### New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Belleville Residents

1.	Age *	Cases	%	2. Race/Eth	nicity	Adult/ Cases		Pedia Cases	tric*	(	Total Cases	00
	Under 5 5-12	# 0	# 0		ot Hispanic ot Hispanic	# #		#		-	24 16	42 28
	13-19	#	#	Hispanic		#		#			18	32
	20-29	17	29	Other/Un		0	0	0	0		0	0
	30-39	19	33		_							
	40-49	15	26	Total		55	100	#	#		58	100
	Over 49	#	#									
	Unknown	0	0									
	Total	58	100									
3.	Patient Gro	oup			Adı	ılt/Adole	scent	Transmiss	ion Mod	des **		
					Males	%	Fe	males %		Total	%	
	Men sex wit	 th men (M	ISM)		14	39		0 0		14	25	
	Injection of		-		7	19		8 42		15	27	
	MSM/IDU	J			#	#		0 0		#	#	

	Pediatric Transmission Modes						
	Males	%	Females %	Total	용		
Parent at risk/has AIDS/HIV	#	#	# #	#	#		
Risk not reported/other***	0		0 0	0	0		
Total	#	#	# #	#	#		

# #

36 100

-----

7 37

# #

19 100

\_\_\_\_\_

12 22

# #

\_\_\_ 55 100

\_\_\_\_\_

- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Heterosexual contact Risk not reported/other\*\*\*

Total

\_\_\_\_\_

- \*\* O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

#### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Belleville Residents

1.	Current HI				Adult/Adol Cases	%		Ped Case	S	૾	Cases			
	AIDS-Any O AIDS-CD4 O HIV Only	nly			125 # #	#			0 # #	 O # #	125 49 58	5 2 2	4 1 5	
	Total					100			#	#	232			
2.				3.	Race/Eth.		Cas	ses	%	Pediat: Cases	8		ses	tal %
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	0 # 51 84 72 20 0	# 0 # 22 36 31 9		White, Not Black, Not Hispanic Other/Unkn	Hispanic Hispanic own		# # 	# # # #	# #			135 46 49 #  232	20 21 #
	Total	232												
4.	Patient Gr	-				Males	용	doles	Fe	Transmissionales %	Т	otal	olo	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user al contac	MSM)  (IDU)  ther***			48 6 18 23	41 30 4 11 14			0 0 25 37 0 0 27 40 15 22 		67 73 6 45 38 	3 20	
						Males	용		Fe	ansmission males %	Т	otal	olo	
	Parent at Risk not r		AIDS/HI			# O	#			# # 0 0	_	# 0	#	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Total

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- $\star\star\star$  Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Belleville Residents

## 5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosi	Number of s Cases	Number Known Dead	Case-Fatality Rate
Before 1985	#	#	#
1985	5	5	100%
1986	6	6	100%
1987	12	10	83%
1988	14	14	100%
1989	20	16	80%
1990	10	7	70%
1991	20	15	75%
1992	13	9	69%
1993	20	8	40%
1994	17	9	53%
1995	20	11	55%
1996	17	7	41%
1997	10	#	#
1998	8	#	#
1999	6	#	#
2000	7	0	0%
2001	9	#	#
2002	9	#	#
2003	#	#	#
2004	#	#	#
Total	232	128	55%